

■ 片面塗装 (自然塗料クリア・ウレタンクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	270	530	800	1,060	1,320	1,590	1,850	2,120	2,380	2,640	
101~200	530	1,060	1,590	2,120	2,640	3,170	3,700	4,230	4,760	5,280	
201~300	800	1,590	2,380	3,170	3,960	4,760	5,550	6,340	7,130	7,920	
301~400	1,060	2,120	3,170	4,230	5,280	6,340	7,400	8,450	9,510	10,560	
401~500	1,320	2,640	3,960	5,280	6,600	7,920	9,240	10,560	11,880	13,200	
501~600	1,590	3,170	4,760	6,340	7,920	9,510	11,090	12,680	14,260	15,840	
601~700	1,850	3,700	5,550	7,400	9,240	11,090	12,940	14,790	16,640	18,480	
701~800	2,120	4,230	6,340	8,450	10,560	12,680	14,790	16,900	19,010	21,120	
801~900	2,380	4,760	7,130	9,510	11,880	14,260	16,640	19,010	21,390	23,760	
901~1000	2,640	5,280	7,920	10,560	13,200	15,840	18,480	21,120	23,760	26,400	

奥行(mm)

■ 片面塗装 (セラウッドクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	360	720	1,080	1,440	1,800	2,160	2,520	2,880	3,240	3,600	
101~200	720	1,440	2,160	2,880	3,600	4,320	5,040	5,760	6,480	7,200	
201~300	1,080	2,160	3,240	4,320	5,400	6,480	7,560	8,640	9,720	10,800	
301~400	1,440	2,880	4,320	5,760	7,200	8,640	10,080	11,520	12,960	14,400	
401~500	1,800	3,600	5,400	7,200	9,000	10,800	12,600	14,400	16,200	18,000	
501~600	2,160	4,320	6,480	8,640	10,800	12,960	15,120	17,280	19,440	21,600	
601~700	2,520	5,040	7,560	10,080	12,600	15,120	17,640	20,160	22,680	25,200	
701~800	2,880	5,760	8,640	11,520	14,400	17,280	20,160	23,040	25,920	28,800	
801~900	3,240	6,480	9,720	12,960	16,200	19,440	22,680	25,920	29,160	32,400	
901~1000	3,600	7,200	10,800	14,400	18,000	21,600	25,200	28,800	32,400	36,000	

奥行(mm)

■ 両面塗装 (自然塗料クリア・ウレタンクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	360	720	1,080	1,440	1,800	2,160	2,520	2,880	3,240	3,600	
101~200	720	1,440	2,160	2,880	3,600	4,320	5,040	5,760	6,480	7,200	
201~300	1,080	2,160	3,240	4,320	5,400	6,480	7,560	8,640	9,720	10,800	
301~400	1,440	2,880	4,320	5,760	7,200	8,640	10,080	11,520	12,960	14,400	
401~500	1,800	3,600	5,400	7,200	9,000	10,800	12,600	14,400	16,200	18,000	
501~600	2,160	4,320	6,480	8,640	10,800	12,960	15,120	17,280	19,440	21,600	
601~700	2,520	5,040	7,560	10,080	12,600	15,120	17,640	20,160	22,680	25,200	
701~800	2,880	5,760	8,640	11,520	14,400	17,280	20,160	23,040	25,920	28,800	
801~900	3,240	6,480	9,720	12,960	16,200	19,440	22,680	25,920	29,160	32,400	
901~1000	3,600	7,200	10,800	14,400	18,000	21,600	25,200	28,800	32,400	36,000	

奥行(mm)

■ 両面塗装 (セラウッドクリア)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	480	960	1,440	1,920	2,400	2,880	3,360	3,840	4,320	4,800	
101~200	960	1,920	2,880	3,840	4,800	5,760	6,720	7,680	8,640	9,600	
201~300	1,440	2,880	4,320	5,760	7,200	8,640	10,080	11,520	12,960	14,400	
301~400	1,920	3,840	5,760	7,680	9,600	11,520	13,440	15,360	17,280	19,200	
401~500	2,400	4,800	7,200	9,600	12,000	14,400	16,800	19,200	21,600	24,000	
501~600	2,880	5,760	8,640	11,520	14,400	17,280	20,160	23,040	25,920	28,800	
601~700	3,360	6,720	10,080	13,440	16,800	20,160	23,520	26,880	30,240	33,600	
701~800	3,840	7,680	11,520	15,360	19,200	23,040	26,880	30,720	34,560	38,400	
801~900	4,320	8,640	12,960	17,280	21,600	25,920	30,240	34,560	38,880	43,200	
901~1000	4,800	9,600	14,400	19,200	24,000	28,800	33,600	38,400	43,200	48,000	

奥行(mm)

■ 面取り加工 (天板向けA：片面4辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	610	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	
101~200	760	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	
201~300	920	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	
301~400	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	
401~500	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	
501~600	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	
601~700	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	
701~800	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	
801~900	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	5,930	
901~1000	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	

奥行(mm)

■ 面取り加工 (天板向けB：両面4辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	1,220	2,130	3,040	3,960	4,870	5,780	6,690	7,600	8,520	9,430	
101~200	1,520	2,440	3,350	4,260	5,170	6,080	7,000	7,910	8,820	9,730	
201~300	1,830	2,740	3,650	4,560	5,480	6,390	7,300	8,210	9,120	10,040	
301~400	2,130	3,040	3,960	4,870	5,780	6,690	7,600	8,520	9,430	10,340	
401~500	2,440	3,350	4,260	5,170	6,080	7,000	7,910	8,820	9,730	10,640	
501~600	2,740	3,650	4,560	5,480	6,390	7,300	8,210	9,120	10,040	10,950	
601~700	3,040	3,960	4,870	5,780	6,690	7,600	8,520	9,430	10,340	11,250	
701~800	3,350	4,260	5,170	6,080	7,000	7,910	8,820	9,730	10,640	11,560	
801~900	3,650	4,560	5,480	6,390	7,300	8,210	9,120	10,040	10,950	11,860	
901~1000	3,960	4,870	5,780	6,690	7,600	8,520	9,430	10,340	11,250	12,160	

奥行(mm)

■ 面取り加工 (標板・カウンター向けA：片面3辺 / 短辺+長辺+短辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	380	610	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	
101~200	540	760	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	
201~300	690	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	
301~400	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	2,660	2,890	
401~500	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	2,820	3,040	
501~600	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	2,970	3,200	
601~700	1,300	1,520	1,750	1,980	2,210	2,440	2,660	2,890	3,120	3,350	
701~800	1,450	1,680	1,900	2,130	2,360	2,590	2,820	3,040	3,270	3,500	
801~900	1,600	1,830	2,060	2,280	2,510	2,740	2,970	3,200	3,420	3,650	
901~1000	1,750	1,980	2,210	2,440	2,660	2,890	3,120	3,350	3,580	3,800	

奥行(mm)

■ 面取り加工 (標板・カウンター向けB：両面3辺 / 短辺+長辺+短辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	760	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	
101~200	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	
201~300	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	
301~400	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	
401~500	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	
501~600	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	5,930	6,390	
601~700	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	6,240	6,690	
701~800	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	6,540	7,000	
801~900	3,200	3,650	4,110	4,560	5,020	5,480	5,930	6,390	6,840	7,300	
901~1000	3,500	3,960	4,410	4,870	5,320	5,780	6,240	6,690	7,150	7,600	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けC・E: 片面2辺 / 長辺+短辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	310	540	760	990	1,220	1,450	1,680	1,900	2,130	2,360	
101~200	380	610	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	
201~300	460	690	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	
301~400	540	760	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	
401~500	610	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	2,660	
501~600	690	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	
601~700	760	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	2,820	
701~800	840	1,070	1,300	1,520	1,750	1,980	2,210	2,440	2,660	2,890	
801~900	920	1,140	1,370	1,600	1,830	2,060	2,280	2,510	2,740	2,970	
901~1000	990	1,220	1,450	1,680	1,900	2,130	2,360	2,590	2,820	3,040	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けD・F: 両面2辺 / 長辺+短辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100	610	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	
101~200	760	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	
201~300	920	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	
301~400	1,070	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	
401~500	1,220	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	
501~600	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	
601~700	1,520	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	
701~800	1,680	2,130	2,590	3,040	3,500	3,960	4,410	4,870	5,320	5,780	
801~900	1,830	2,280	2,740	3,200	3,650	4,110	4,560	5,020	5,480	5,930	
901~1000	1,980	2,440	2,890	3,350	3,800	4,260	4,720	5,170	5,630	6,080	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けG: 片面1辺 / 長辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100~1000	230	460	690	920	1,140	1,370	1,600	1,830	2,060	2,280	

奥行(mm)

■ 面取り加工 (棚板・カウンター向けH: 両面1辺 / 長辺) ※ 1, 2, 3, 5mmR の場合 (10, 15mmR は別途見積もり)

	100~300	301~600	601~900	900~1200	1201~1500	1501~1800	1801~2100	2101~2400	2401~2700	2701~3000	幅(mm)
100~1000	460	920	1,370	1,830	2,280	2,740	3,200	3,650	4,110	4,560	

奥行(mm)

## ■ 角丸加工

	10mmR	20mmR / 30mmR / 50mmR
[ 天板向け ] A B C D ・ 4カ所	1,440	3,280
[ カウンター・棚板向け ] C D ・ 2カ所	720	1,640
[ カウンター・棚板向け ] C ・ 1カ所	360	820
[ カウンター・棚板向け ] D ・ 1カ所	360	820

## ■ 丸穴加工

	φ 3~35mm	φ 36~200mm	φ 201~400mm
[ 丸穴加工 ] 1カ所	790	3,200	6,300
[ 丸穴加工 ] 2カ所	1,580	6,400	12,600

## ■ 四角穴加工

	穴の長辺が 250mm以下	穴の長辺が 251mm以上
[ 四角穴加工 ] 1カ所	2,200	5,000
[ 四角穴加工 ] 2カ所	4,400	10,000

※ 四角穴の四隅（内角）には、約7mmほどのR（丸み）がつきます。

## ■ 円形カット

	φ 300~400mm	φ 401~500mm	φ 501~600mm	φ 601~700mm
5,500	6,800	8,200	9,500	
	φ 701~800mm	φ 801~900mm	φ 901~1000mm	
	10,900	12,200	13,800	

## ■ 反り止め加工

	W500~1999mm [ 2本 ]	W2000~3000mm [ 3本 ]
標準タイプ	6,800	9,800
埋込タイプ	9,200	13,800